



## Product Specs

# CLEVER TABLE BASE

## FEATURES

- ✔ Full table base (add your own work surface)
- ✔ Meets BIFMA X5.5 standards
- ✔ UL 962 approved
- ✔ Adjustable frame



### ADDITIONAL INFORMATION

- Rectangular, inverted (top down) columns only
- Two- and three-column bases available
- Two-column bases can support 36" to 84" tabletops
- Three-column bases can support both 90 and 120 degree layouts
- Raising/lowering speed 1.375" per second
- Power consumption <0.3W
- 43db noise level using ISO-11201:2010 acoustics
- Multiple handswitch and color options available within one order
- Wire-managing HAT channels and support beams available
- Vertical wire management available
- Features patent-pending sound-reduction technology

### OPTIONS

#### HANDSWITCH OPTIONS



TOUCHbasic



TOUCHinlay  
(upgrade)



TOUCHFX  
(upgrade)

#### FOOT OPTIONS



C Foot



T Foot

#### POWDER COAT COLOR OPTIONS

150+ colors available.

#### WARRANTY INFORMATION

**Two Years** Electronic components such as control boxes, handswitches, motors.


**Five Years** Mechanical components such as crank drives, spindles.

**Ten Years** Structural components such as beams, feet and top supports.

# TECHNICAL SPECIFICATIONS

TYPE	STROKE LENGTH (IN)	HEIGHT MIN / MAX (IN)	TRAVEL SPEED (IN/sec)	MAX RATED LOAD (LB)	NOISE LEVEL (DB)
<b>Single Stage</b> (SSE)	19	28 / 47	1.375	200/250 (two leg/three leg)	43
<b>Dual Stage Low</b> (DSL)	26	22.5/48.5	1.375	200/250 (two leg/three leg)	43
<b>Dual Stage High</b> (DSH)	23.5	25 / 49	1.375	200/250 (two leg/three leg)	43

## DRAWING Standard Dimensions



## NOTES

- Base depths: 24" and 30"
- Base widths: 36"–84" (6" increments)  
Three Leg 90°: up to 72"  
Three Leg 120°: up to 60"
- Base heights: SSE: 28"–47"  
DSL: 22.5"–48.5"  
DSH: 25"–49"
- Max load: Rated load (including table top): 200 lb. (two-leg) and 250 lb. (three-leg)  
Functional load: 342 lb. (two-leg) and 378 lb. (three-leg)



**BUILT  
IN THE USA**

11511 James Street • Holland, MI 49424 • 616.738.6688 • omt-veyhl.com

Terms of Use: The user is responsible for determining the suitability of OMT-Veyhl products for specific applications. © OMT-Veyhl 2019

v 071119