

**Product Specs** 

# FAST CRANK TABLE BASE

# **FEATURES**

- Full table base (add your own work surface)
- Adjusts at 1.125" with each crank revolution
- Over 150 color options
- Zero energy consumption





## **ADDITIONAL INFORMATION**

- Raising/lowering speed 1.125" per one crank revolution
- Rectangular columns only
- Available as a single stage, two-column base only
- Supports 36" to 72" table widths
- Zero power consumption
- Crank handle slides inward to store underneath table top when not in use

### **OPTIONS**

### **FOOT OPTIONS**



### POWDER COAT COLOR OPTIONS

150+ colors available.

# T Foot

### **ADJUSTABILITY OPTIONS**




### Fast Crank

#### WARRANTY INFORMATION Three Years Electronic components such as control boxes, handswitches, motors. Five Years Mechanical components such as crank drives, spindles. Ten Years Structural components such as beams, feet and top supports.

# **TECHNICAL SPECIFICATIONS**

ТҮРЕ	STROKE	HEIGHT	TRAVEL	MAX RATED	NOISE
	LENGTH	MIN / MAX	SPEED	LOAD	LEVEL
	(IN)	(IN)	(IN)	(LB)	(DB)
Fast Crank	18.3	28.5 - 47	1.125 per 1 revolution	100	N/A



### NOTES

- Base depths: 24" and 30"
- Base widths: 36", 72"
- Base heights: 28.5"-47"
- Max load: Rated load (including table top): 100 lb.
  Functional load: 306 lb.





f 🕑 in

