



PRODUCT SPECS

# FAST CRANK TABLE BASE

**Features**

- Full table base (add your own work surface)
- Adjusts at 1.125" with each crank revolution
- Over 150 color options
- Zero energy consumption





## STANDARD SPECIFICATIONS

- Raising/lowering speed 1.125" per one crank revolution
- Rectangular columns only
- Available as a single stage, two-column base only
- Supports 36" to 72" table widths
- Zero power consumption
- Crank handle slides inward to store underneath table top when not in use

## OPTIONS

### FOOT OPTIONS



T Foot

### POWDER COAT COLOR OPTIONS

150+ colors available.

### ADJUSTABILITY OPTIONS



Fast Crank

### WARRANTY INFORMATION

**Three Years** Electronic components such as control boxes, handswitches, motors.


**Five Years** Mechanical components such as crank drives, spindles.

**Ten Years** Structural components such as beams, feet and top supports.

## TECHNICAL SPECIFICATIONS

TYPE	STROKE LENGTH (IN)	HEIGHT MIN / MAX (IN)	TRAVEL SPEED (IN)	MAX RATED LOAD (LB)	NOISE LEVEL (DB)
Fast Crank	18.3	28.5 - 47	1.125 per 1 revolution	100	N/A

### STANDARD DIMENSIONS



### NOTES

- Base depths: 24" and 30"
- Base widths: 36", 72"
- Base heights: 28.5" - 47"
- Max load: Rated load (including table top): 100 lb.  
Functional load: 306 lb.

