

Product Specs

CONVERSION TABLE



A healthier work environment starts with the option to sit or stand throughout the day. Our Conversion table is the industry standard in height-adjustable products, and your first step towards improving the efficiency and well-being of any organization.

Customizable to your standards, Conversion can support benching for multiple workstations or be used as stand-alone solutions. This kit supplies everything you need to assemble your height-adjustable table base. Just add your own work surface to personalize.

FEATURES

- ✔ Full table base (add your own work surface)
- ✔ Meets BIFMA X5.5 standards
- ✔ Choose from fixed or adjustable height columns (Electric, Pin or Crank)
- ✔ Over 150 color options
- ✔ Supports 250 lb. load



ADDITIONAL INFORMATION

- Up to six column configurations
- Two-column bases can support 36" to 84" tops and up to 250 lb.
- 90 and 120 degree three-column bases can support up to 300 lb.
- Raising/lowering speed of 1.5" per second for electric
- Power consumption for electric columns <0.3W
- Multiple benching possibilities: back-to-back, single-sided and stand-alone
- Less than 50db noise level using ISO-11201:2010 acoustics
- Multiple hand switch and color options available within one order
- Dual stage high meets BIFMA's Ergonomics Guidelines for Furniture Used in Office Work Spaces

OPTIONS

HANDSWITCH OPTIONS



TOUCHbasic



TOUCHinlay
(upgrade)



TOUCHFX
(upgrade)

FOOT OPTIONS



C Foot



T Foot

POWDER COAT COLOR OPTIONS

150+ colors available.

WARRANTY INFORMATION


Three Years Electronic components such as control boxes, handswitches, motors.

Five Years Mechanical components such as crank drives, spindles.

TECHNICAL SPECIFICATIONS

TYPE	STROKE LENGTH (IN)	HEIGHT MIN / MAX (IN)	CONFIGURATIONS	TRAVEL SPEED (IN/sec)	MAX WEIGHT (LB)	NOISE LEVEL (DB)
Electric Single Stage	18.9	25/44	2-6 columns	1.5	250	<50
Electric Dual Stage	26	20/46	2-6 columns	1.5	250	<50
Pin Adjustable	16	27.7/43.7	2-6 columns	1" adjustments	300	n/a
Crank Height Adjustable	18.3	26/44	2-3 columns	6 cranks /1"	300	n/a

DRAWING Standard Dimensions



NOTES

ELECTRIC SINGLE STAGE HEIGHT ADJUSTABLE

Styles: Rectangular

90 and 120 degree bases available standard

Specifications: Rectangular Column

3.9" x 2.4"/3.5" x 2"

Hand switches: Basic and Programmable

ELECTRIC DUAL STAGE HEIGHT ADJUSTABLE

Styles: Rectangular

90 and 120 degree bases available standard

Specifications: Rectangular Column

3.9" x 2.4"/3.5" x 2"/3" x 1.5"

Hand switches: Basic and Programmable

PIN ADJUSTABLE

Styles: Rectangular

90 and 120 degree bases available standard

Specifications: Rectangular Column

3.9" x 2.4"/3.5" x 2"

CRANK HEIGHT ADJUSTABLE

Styles: Rectangular

90 and 120 degree bases available standard

Specifications: Rectangular Column

3.9" x 2.4"/3.5" x 2"